

Application No.: 10/509,144  
Attorney Docket No.: P098US  
First Applicant's Name: Kurt Berlin  
Application Filing Date: 27 September 2004  
Date of Office Action: 12 November 2009  
Date of Response: 07 May 2010  
Examiner: Steven C. Pohnert

IN THE CLAIMS:

1. (Previously presented) A method for cytosine methylation analysis of genomic DNA wherein the genomic template DNA is amplified such that the cytosine methylation pattern of the genomic template DNA is retained in the amplificate sequence(s), said method comprising the following steps:

(a) providing a sample of DNA, said DNA being methylated at one or more cytosine positions;

(b) heating the genomic DNA to a temperature operative to cause denaturation;

(c) cooling the denatured DNA in the presence of single stranded oligonucleotide primers such that the primers anneal to the DNA;

(d) heating the mixture in the presence of a polymerase and nucleotides to a temperature such that the primers are extended, thereby resulting in hemimethylated DNA;

(e) contacting the hemimethylated DNA with a methyltransferase and a methyl donor molecule under conditions conducive to the methylation of the synthesised strand such that the CpG dinucleotides within the synthesised strand are methylated according to the methylation status of the corresponding CpG dinucleotide on the template strand thereby preserving the genomic methylation pattern;

(f) repeating steps (b)-(e) a plurality of times to reach a plurality of nucleic acids, whereby each of said nucleic acids is methylated at the same one or more cytosine positions as the DNA provided in step (a); and

Application No.: 10/509,144  
Attorney Docket No.: P098US  
First Applicant's Name: Kurt Berlin  
Application Filing Date: 27 September 2004  
Date of Office Action: 12 November 2009  
Date of Response: 07 May 2010  
Examiner: Steven C. Pohnert

(g) analyzing the methylation of the nucleic acids of step (f) whereby the methylation of the DNA of the sample of step (a) is deduced.

2. (Previously presented) A method according to Claim 1 wherein the methyltransferase is a maintenance methyltransferase.

3. (Previously presented) A method according to Claim 1 wherein the methyltransferase is DNA (cytosine-5) Methyltransferase (DNMT 1).

4. (Previously presented) A method according to Claim 1 wherein the methyl donor molecule is S-adenosylmethionine.

5. (Previously presented) A method according to Claim 1 wherein the methylated CpG dinucleotides carry a detectable label which is incorporated into the synthesised nucleic acid strand.

6. (Previously presented) A method according to Claim 1 wherein a plurality of primer oligonucleotides are immobilised on a solid surface.

7. (Previously presented) A method according to Claim 1 wherein the methyltransferase is immobilised on a solid surface.

8. (Previously presented) A method according to Claim 1 wherein the polymerase is immobilised on a solid surface.

9. (Previously presented) A method according to Claim 1 further comprising Step (g) a treatment with an agent capable of distinguishing between methylated and unmethylated cytosine bases.

Application No.: 10/509,144  
Attorney Docket No.: P098US  
First Applicant's Name: Kurt Berlin  
Application Filing Date: 27 September 2004  
Date of Office Action: 12 November 2009  
Date of Response: 07 May 2010  
Examiner: Steven C. Pohnert

10. (Previously presented) A method according to Claim 9 wherein the agent is a methylation sensitive restriction enzyme.

11. (Previously presented) A method according to Claim 9 wherein the agent is a bisulphite solution.

12-15. (Previously withdrawn)